

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: September 2017

Void After: September 2018

Product: Cast Iron Soil Pipe and Fittings (Hubless)

File No. 4818

Issued To: New Age Casting Company
12630 West Airport Boulevard
Suite #100
Sugar Land, TX 77478

Identification: Each length of pipe and each fitting shall be plainly marked with the country of origin, the manufacturer's name or the manufacturer's registered trademark by which the manufacturer can be readily identified after installation and any appropriate collective mark (optional). The marking shall be adequate identification of the manufacturer of the pipe and fittings if it readily identifies the manufacturer to the end user of the product. Markings shall be cast on fittings. Pipe markings: The pipe shall be marked continuously on the barrel with a minimum of 0.75 inch (19mm) lettering starting within 3 inches of each end of the pipe. Each pipe shall be marked with the date of manufacture. The marking shall be stenciled on the pipe or otherwise applied so as to be clear and legible. Fitting markings: The marking shall be cast with raised letters that are not to be located within the "W" dimension. Cast markings shall be raised from the wall of the fitting unless otherwise noted. Listed products shall bear the UPC® certification mark.

Characteristics: Installed fittings and pipe must be IAPMO R&T listed and installed in accordance with the requirements of the latest edition of the Uniform


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2018

Product: Cast Iron Soil Pipe and Fittings (Hubless)

File No. 4818

Issued To: New Age Casting Company

Plumbing Code

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

International Plumbing Code (IPC®)

Products are in compliance with the following standard(s):

ASTM A888-2015 (excluding Annex A1)



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2018

Product: Cast Iron Soil Pipe and Fittings (Hubless)

File No. 4818

Issued To: New Age Casting Company

MODELS:

NO-HUB CAST IRON PIPE:

<u>Model No.</u>	<u>Size</u>
156	1-1/2"
158	2"
160	3"
162	4"
164	5"
168	6"
170	8"
171	10"
172	12"
173	15"

NO-HUB FITTINGS:

Short Sweep (MS)

<u>Model No.</u>	<u>Size</u>
462	2"
464	3"
468	4"
470	5"
472	6"
474	8"
475	10"
476	12"
477	15"

Long Sweep

<u>Model No.</u>	<u>Size</u>
492	1-1/2"
494	2"
496	3"
498	4"

1/4 Bend W/2" Heel Opening

<u>Model No.</u>	<u>Size</u>
275	3" x 2"
280	3" x 2"
282	4" x 2"

1/4 Bend Reducing

<u>Model No.</u>	<u>Size</u>
218	4" x 3"

1/16 Bend

<u>Model No.</u>	<u>Size</u>
676	1-1/2"
678	2"
680	3"
682	4"
684	5"
686	6"

San Tee (TY)

<u>Model No.</u>	<u>Size</u>
806	1-1/2"
808	2" x 1-1/2"
810	2"
812	3" x 1-1/2"
814	3" x 2"
816	3"



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2018

Product: Cast Iron Soil Pipe and Fittings (Hubless)

File No. 4818

Issued To: New Age Casting Company

688	8"	818	4" x 2"
618	12"	820	4" x 3"
619	15"	822	4"

1/4 Bend

<u>Model No.</u>	<u>Size</u>		
188	1-1/2"	824	5" x 2"
190	2"	826	5" x 3"
192	3"	828	5" x 4"
194	4"	830	5"
196	5"	832	6" x 2"
198	6"	834	6" x 4"
200	8"	835	6" x 5"
		836	6"
		838	6" x 3"
		840	8"
		842	8" x 6"
		844	8" x 5"
		846	8" x 4"
		848	8" x 3"

Double 1/4 Bend

<u>Model No.</u>	<u>Size</u>
402	2" (vent only)
404	3" (vent only)
406	4" (vent only)

Long 1/4 Bend

<u>Model No.</u>	<u>Size</u>
425	2" x 18"

Tapped 1/4 Bend

<u>Model No.</u>	<u>Size</u>
324	1-1/2" x 1-1/2"
328	2" x 1-1/2"
330	2" x 2"

1/5 Bend

<u>Model No.</u>	<u>Size</u>
536	2"
538	3"
540	4"

1/6 Bend

<u>Model No.</u>	<u>Size</u>
570	2"
572	3"
574	4"

1/8 Bend

<u>Model No.</u>	<u>Size</u>
604	1-1/2"
606	2"
608	3"
610	4"
612	5"

San Cross

<u>Model No.</u>	<u>Size</u>
1850	1-1/2" (vent only)
1852	2" (vent only)
1856	3" (vent only)
1854	3" x 2" (vent only)
1862	4" (vent only)

614	6"
616	8"
617	10"

San Tap Cross

<u>Model No.</u>	<u>Size</u>
------------------	-------------



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2018

Product: Cast Iron Soil Pipe and Fittings (Hubless)

File No. 4818

Issued To: New Age Casting Company

1858	4" x 2" (vent only)	2012	1-1/2" x 1-1/2" (vent only)
1860	4" x 3" (vent only)	2014	2" x 1-1/4" (vent only)
1867	6" (vent only)	2016	2" x 1-1/2" (vent only)
1864	6" x 4" (vent only)	2018	2" x 2" (vent only)
1874	8" x 4" (vent only)	2022	3" x 1-1/2" (vent only)
		2024	3" x 2" (vent only)

Test Tee

<u>Model No.</u>	<u>Size</u>
2046	2"
2048	3"
2050	4"
2052	5"
2054	6"
2056	8"
2058	10"

Iron Body Cleanout-Tapped

<u>Model No.</u>	<u>Size</u>
8570	6" x 5"

Wye

<u>Model No.</u>	<u>Size</u>
1312	1-1/2"
1314	2"
1316	3" x 2"
1318	3"
1320	4" x 2"
1322	4" x 3"
1324	4"
1332	5"
1326	5" x 2"
1328	5" x 3"
1330	5" x 4"
1342	6"
1334	6" x 2"
1336	6" x 3"
1338	6" x 4"
1340	6" x 5"
1354	8"
1344	8" x 2"
1346	8" x 3"
1348	8" x 4"
1350	8" x 5"
1352	8" x 6"

San Tap Tee (Tap TY)

<u>Model No.</u>	<u>Size</u>
1208	1-1/2" x 1-1/4"
1210	1-1/2" x 1-1/2"
1216	2"
1214	2" x 1-1/2"
1212	2" x 1-1/4"
1223	3"
1220	3" x 1-1/2"
1222	3" x 2"
1226	4" x 1-1/2"
1228	4" x 2"

Combination Wye and 1/8 Bend

<u>Model No.</u>	<u>Size</u>
1694	1-1/2"
1698	2"
1696	2" x 1-1/2"
1700	3" x 2"
1702	3"
1704	4" x 2"
1706	4" x 3"
1708	4"
1716	5"
1710	5" x 2"
1712	5" x 3"
1714	5" x 4"
1718	6" x 2"
1720	6" x 3"
1722	6" x 4"
1724	6" x 5"
1726	6"
1734	8"
1728	8" x 4"
1730	8" x 5"
1732	8" x 6"



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2018

Product: Cast Iron Soil Pipe and Fittings (Hubless)

File No. 4818

Issued To: New Age Casting Company

1361 10"
1357 10" x 4"
1359 10" x 6"
1360 10" x 8"
1362 12"
1363 15"

Blind Plug

<u>Model No.</u>	<u>Size</u>
2480	1-1/2"
2482	2"
2484	3"
2486	4"

Upright Wye

<u>Model No.</u>	<u>Size</u>
1646	2"
1648	3" x 2"
1650	3"
1652	4" x 2"
1654	4" x 3"

2488	5"
2490	6"
2492	8"
2494	10"
2495	12"
2496	15"

Short Reducer

<u>Model No.</u>	<u>Size</u>
2138	2" x 1-1/2"
2140	3" x 2"
2142	4" x 2"
2144	4" x 3"
2146	5" x 2"
2148	5" x 3"
2150	5" x 4"
2152	6" x 2"
2154	6" x 3"
2156	6" x 4"
2158	6" x 5"
2160	8" x 2"
2162	8" x 3"
2164	8" x 4"
2166	8" x 5"
2168	8" x 6"
2172	10" x 4"
2174	10" x 6"
2175	10" x 8"
2176	12" x 4"
2177	12" x 6"
2178	12" x 8"
2179	12" x 10"
2180	15" x 4"
2181	15" x 6"
2182	15" x 8"
2183	15" x 10"

Combination Wye and 1/8 Bend, Double

<u>Model No.</u>	<u>Size</u>
1802	2"
1806	3"
1804	3" x 2"
1812	4"
1808	4" x 2"

Closet Bend Reducing

<u>Model No.</u>	<u>Size</u>
2832	3" x 4" x 6" x 12"
2840	3" x 4" x 6" x 15"
2842	3" x 4" x 6" x 16"
2852	3" x 4" x 10" x 12"
2866	3" x 4" x 16" x 16"

Closet Bend

<u>Model No.</u>	<u>Size</u>
2904	4" x 4" x 6" x 12"
5572	4" x 10" x 15"
5572	4" x 4" x 10" x 15"

Closet Flange Riser



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2018

Product: Cast Iron Soil Pipe and Fittings (Hubless)

File No. 4818

Issued To: New Age Casting Company

2184 15" x 12"

<u>Model No.</u>	<u>Size</u>
2966	4" x 3" x 3-1/2"

P-Trap

Figure Five

<u>Model No.</u>	<u>Size</u>
2506	1-1/2"
2508	2"
2510	3"
2512	4"
2514	6"

<u>Model No.</u>	<u>Size</u>
8052	2"
8054	3" x 2" x 3" x 3"
8062	4"

Cleanout Ferrule (I.B.C.O.)

P-Trap with Primer

<u>Model No.</u>	<u>Size</u>
8564	3" x 2 1/2"
8566	4" x 3 1/2"

<u>Model No.</u>	<u>Size</u>
8530	2"
8532	3"
8534	4"

Tapped Adaptors

P-Trap with Tapped Inlet

<u>Model No.</u>	<u>Size</u>
2242	2" x 1-1/2"
2244	2" x 2"

<u>Model No.</u>	<u>Size</u>
2582	1-1/2" x 1-1/2"
2586	2" x 1-1/2"
2588	2" x 2"

Closet Flange

Double Wye

<u>Model No.</u>	<u>Size</u>
9426	4" x 2"

<u>Model No.</u>	<u>Size</u>
1538	2"
1542	3"
1540	3" x 2"
1548	4"
1544	4" x 2"
1546	4" x 3"
1552	6" x 4"
1554	6"
1557	8" x 6"
1558	8"

Deep Seal P-Trap

<u>Model No.</u>	<u>Size</u>
2564	2"
2566	3"
2567	4"

*Models on this listing may be preceded by the prefix "ZFB" to denote optional epoxy coating