


# IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



## IAPMO R&T Product Listing



This IAPMO R&T Listing is current as of July 7, 2023

*File Number:*

**4818**

*Issued To:*

**NEW AGE CASTING COMPANY**

12630 WEST AIRPORT BOULEVARD SUITE 100 SUGAR LAND, TX , United States

*Product:*

**Cast Iron Soil Pipe and Fittings (Hubless)**

*Products are in compliance with the following code(s):*

**Uniform Plumbing Code (UPC®)  
International Plumbing Code (IPC®)**

*Products are certified to the following standard(s)*

**ASTM A888-2021 (excluding Annex A1)**

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



**Issued To:** NEW AGE CASTING COMPANY

**File Number:** 4818

**Product:** Cast Iron Soil Pipe and Fittings (Hubless)

This IAPMO R&T Listing is current as of July 7, 2023

### **Identification:**

Each length of pipe and each fitting shall be plainly marked with the country of origin, the manufacturer's name or the manufacturer's registered trademark by which the manufacturer can be readily identified after installation and any appropriate collective mark (optional). The marking shall be adequate identification of the manufacturer of the pipe and fittings if it readily identifies the manufacturer to the end user of the product. Markings shall be cast on fittings. Pipe markings: The pipe shall be marked continuously on the barrel with a minimum of 0.75 inch (19mm) lettering starting within 3 inches of each end of the pipe. Each pipe shall be marked with the date of manufacture. The marking shall be stenciled on the pipe or otherwise applied so as to be clear and legible. Fitting markings: The marking shall be cast with raised letters that are not to be located within the "W" dimension. Cast markings shall be raised from the wall of the fitting unless otherwise noted. Listed products shall bear the UPC® certification mark.

### **Characteristics:**

Installed fittings and pipe must be IAPMO R&T listed and installed in accordance with the requirements of the latest edition of the Uniform Plumbing Code

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

# Models

## NO-HUB CAST IRON PIPE:

Model Number	Description
156	1-1/2"
158	2"
160	3"
162	4"
164	5"
168	6"
170	8"
171	10"
172	12"
173	15"

## NO-HUB FITTINGS:

### Short Sweep (MS)

Model Number	Description
462	2"
464	3"
468	4"
470	5"
472	6"
474	8"
475	10"
476	12"
477	15"

### 1/4 Bend Reducing

Model Number	Description
218	4" x 3"

### 1/16 Bend

Model Number	Description
676	1-1/2"
678	2"
680	3"
682	4"
684	5"

<b>Model Number</b>	<b>Description</b>
686	6"
688	8"
618	12"
619	15"

#### **1/4 Bend**

<b>Model Number</b>	<b>Description</b>
188	1-1/2"
190	2"
192	3"
194	4"
196	5"
198	6"
200	8"

#### **Double 1/4 Bend**

<b>Model Number</b>	<b>Description</b>
402	2" (vent only)
404	3" (vent only)
406	4" (vent only)

#### **Tapped 1/4 Bend**

<b>Model Number</b>	<b>Description</b>
324	1-1/2" x 1-1/2"
328	2" x 1-1/2"
330	2" x 2"

#### **1/6 Bend**

<b>Model Number</b>	<b>Description</b>
570	2"
572	3"
574	4"

#### **San Cross**

<b>Model Number</b>	<b>Description</b>
1850	1-1/2" (vent only)

<b>Model Number</b>	<b>Description</b>
1852	2" (vent only)
1856	3" (vent only)
1854	3" x 2" (vent only)
1862	4" (vent only)
1858	4" x 2" (vent only)
1860	4" x 3" (vent only)
1867	6" (vent only)
1864	6" x 4" (vent only)
1874	8" x 4" (vent only)

### Test Tee

<b>Model Number</b>	<b>Description</b>
2046	2"
2048	3"
2050	4"
2052	5"
2054	6"
2056	8"
2058	10"

### Iron Body Cleanout-Tapped

<b>Model Number</b>	<b>Description</b>
8570	6" x 5"

### Wye

<b>Model Number</b>	<b>Description</b>
1312	1-1/2"
1314	2"
1316	3" x 2"
1318	3"
1320	4" x 2"
1322	4" x 3"
1324	4"
1332	5"
1326	5" x 2"
1328	5" x 3"
1330	5" x 4"
1342	6"
1334	6" x 2"

Model Number	Description
1336	6" x 3"
1338	6" x 4"
1340	6" x 5"
1354	8"
1344	8" x 2"
1346	8" x 3"
1348	8" x 4"
1350	8" x 5"
1352	8" x 6"
1361	10"
1357	10" x 4"
1359	10" x 6"
1360	10" x 8"
1362	12"
1363	15"

#### Upright Wye

Model Number	Description
1646	2"
1648	3" x 2"
1650	3"
1652	4" x 2"
1654	4" x 3"

#### Short Reducer

Model Number	Description
2138	2" x 1-1/2"
2140	3" x 2"
2142	4" x 2"
2144	4" x 3"
2146	5" x 2"
2148	5" x 3"
2150	5" x 4"
2152	6" x 2"
2154	6" x 3"
2156	6" x 4"
2158	6" x 5"
2160	8" x 2"
2162	8" x 3"
2164	8" x 4"

Model Number	Description
2166	8" x 5"
2168	8" x 6"
2172	10" x 4"
2174	10" x 6"
2175	10" x 8"
2176	12" x 4"
2177	12" x 6"
2178	12" x 8"
2179	12" x 10"
2180	15" x 4"
2181	15" x 6"
2182	15" x 8"
2183	15" x 10"
2184	15" x 12"

#### P-Trap

Model Number	Description
2506	1-1/2"
2508	2"
2510	3"
2512	4"
2514	6"

#### Cleanout Ferrule (I.B.C.O.)

Model Number	Description
8564	3" x 2 1/2"
8566	4" x 3 1/2"

#### Tapped Adaptors

Model Number	Description
2242	2" x 1-1/2"
2244	2" x 2"

#### Closet Flange

Model Number	Description
9426	4" x 2"

### Deep Seal P-Trap

Model Number	Description
2564	2"
2566	3"
2567	4"

### Long Sweep

Model Number	Description
492	1-1/2"
494	2"
496	3"
498	4"

### 1/4 Bend W/2" Heel Opening

Model Number	Description
275	3" x 2"
280	3" x 2"
282	4" x 2"

### San Tee (TY)

Model Number	Description
806	1-1/2"
808	2" x 1-1/2"
810	2"
812	3" x 1-1/2"
814	3" x 2"
816	3"
818	4" x 2"
820	4" x 3"
822	4"
824	5" x 2"
826	5" x 3"
828	5" x 4"
830	5"
832	6" x 2"
834	6" x 4"
835	6" x 5"
836	6"
838	6" x 3"



Model Number	Description
840	8"
842	8" x 6"
844	8" x 5"
846	8" x 4"
848	8" x 3"

#### Long 1/4 Bend

Model Number	Description
425	2" x 18"

#### 1/5 Bend

Model Number	Description
536	2"
538	3"
540	4"

#### 1/8 Bend

Model Number	Description
604	1-1/2"
606	2"
608	3"
610	4"
612	5"
614	6"
616	8"
617	10"

#### San Tap Cross

Model Number	Description
2012	1-1/2" x 1-1/2" (vent only)
2014	2" x 1-1/4" (vent only)
2016	2" x 1-1/2" (vent only)
2018	2" x 2" (vent only)
2022	3" x 1-1/2" (vent only)
2024	3" x 2" (vent only)

#### San Tap Tee (Tap TY)

<b>Model Number</b>	<b>Description</b>
1208	1-1/2" x 1-1/4"
1210	1-1/2" x 1-1/2"
1216	2"
1214	2" x 1-1/2"
1212	2" x 1-1/4"
1223	3"
1220	3" x 1-1/2"
1222	3" x 2"
1226	4" x 1-1/2"
1228	4" x 2"

### **Combination Wye and 1/8 Bend**

<b>Model Number</b>	<b>Description</b>
1694	1-1/2"
1698	2"
1696	2" x 1-1/2"
1700	3" x 2"
1702	3"
1704	4" x 2"
1706	4" x 3"
1708	4"
1716	5"
1710	5" x 2"
1712	5" x 3"
1714	5" x 4"
1718	6" x 2"
1720	6" x 3"
1722	6" x 4"
1724	6" x 5"
1726	6"
1734	8"
1728	8" x 4"
1730	8" x 5"
1732	8" x 6"

### **Blind Plug**

<b>Model Number</b>	<b>Description</b>
2480	1-1/2"
2482	2"
2484	3"

Model Number	Description
2486	4"
2488	5"
2490	6"
2492	8"
2494	10"
2495	12"
2496	15"

#### Combination Wye and 1/8 Bend, Double

Model Number	Description
1802	2"
1806	3"
1804	3" x 2"
1812	4"
1808	4" x 2"

#### Closet Bend Reducing

Model Number	Description
2832	3" x 4" x 6" x 12"
2840	3" x 4" x 6" x 15"
2842	3" x 4" x 6" x 16"
2852	3" x 4" x 10" x 12"
2866	3" x 4" x 16" x 16"

#### Closet Bend

Model Number	Description
2904	4" x 4" x 6" x 12"
5572	4" x 10" x 15"
5572	4" x 4" x 10" x 15"

#### Closet Flange Riser

Model Number	Description
2966	

#### Figure Five

Model Number	Description
8052	2"

---

<b>Model Number</b>	<b>Description</b>
---------------------	--------------------

---

8062	4"
------	----

#### **P-Trap with Primer**

---

<b>Model Number</b>	<b>Description</b>
---------------------	--------------------

---

8530	2"
------	----

8532	3"
------	----

8534	4"
------	----

#### **P-Trap with Tapped Inlet**

---

<b>Model Number</b>	<b>Description</b>
---------------------	--------------------

---

2582	1-1/2" x 1-1/2"
------	-----------------

2586	2" x 1-1/2"
------	-------------

2588	2" x 2"
------	---------

#### **Double Wye**

---

<b>Model Number</b>	<b>Description</b>
---------------------	--------------------

---

1538	2"
------	----

1542	3"
------	----

1540	3" x 2"
------	---------

1548	4"
------	----

1544	4" x 2"
------	---------

1546	4" x 3"
------	---------

1552	6" x 4"
------	---------

1554	6"
------	----

1557	8" x 6"
------	---------

1558	8"
------	----

---

Note: \*Models on this listing may be preceded by the prefix "ZFB" to denote optional epoxy coating