


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761-2816 • (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



IAPMO R&T Product Listing



This IAPMO R&T Listing is current as of 11/25/2019

Product: Cast Iron Soil Pipe and Fittings (Hubless) File No. 4818

Issued To: NEW AGE CASTING COMPANY
12630 WEST AIRPORT BOULEVARD
SUITE 100
SUGAR LAND, TX 77478

Identification: Each length of pipe and each fitting shall be plainly marked with the country of origin, the manufacturer's name or the manufacturer's registered trademark by which the manufacturer can be readily identified after installation and any appropriate collective mark (optional). The marking shall be adequate identification of the manufacturer of the pipe and fittings if it readily identifies the manufacturer to the end user of the product. Markings shall be cast on fittings. Pipe markings: The pipe shall be marked continuously on the barrel with a minimum of 0.75 inch (19mm) lettering starting within 3 inches of each end of the pipe. Each pipe shall be marked with the date of manufacture. The marking shall be stenciled on the pipe or otherwise applied so as to be clear and legible. Fitting markings: The marking shall be cast with raised letters that are not to be located within the "W" dimension. Cast markings shall be raised from the wall of the fitting unless otherwise noted. Listed products shall bear the UPC® certification mark.

Characteristics: Installed fittings and pipe must be IAPMO R&T listed and installed in accordance with the requirements of the latest edition of the Uniform Plumbing Code

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
International Plumbing Code (IPC®)

Products are in compliance with the following standard(s):

ASTM A888-2018a (excluding Annex A1)

MODELS:

NO-HUB CAST IRON PIPE:

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 156 | 1-1/2" |
| 158 | 2" |
| 160 | 3" |
| 162 | 4" |
| 164 | 5" |
| 168 | 6" |
| 170 | 8" |
| 171 | 10" |
| 172 | 12" |
| 173 | 15" |

NO-HUB FITTINGS:**Short Sweep (MS)**

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 462 | 2" |
| 464 | 3" |
| 468 | 4" |
| 470 | 5" |
| 472 | 6" |
| 474 | 8" |
| 475 | 10" |
| 476 | 12" |
| 477 | 15" |

1/4 Bend Reducing

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 218 | 4" x 3" |

1/16 Bend

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 676 | 1-1/2" |
| 678 | 2" |
| 680 | 3" |
| 682 | 4" |
| 684 | 5" |
| 686 | 6" |
| 688 | 8" |
| 618 | 12" |
| 619 | 15" |

1/4 Bend

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 188 | 1-1/2" |
| 190 | 2" |
| 192 | 3" |
| 194 | 4" |
| 196 | 5" |
| 198 | 6" |
| 200 | 8" |

Double 1/4 Bend

| <u>Model No.</u> | <u>Size</u> |
|------------------|----------------|
| 402 | 2" (vent only) |
| 404 | 3" (vent only) |
| 406 | 4" (vent only) |

Tapped 1/4 Bend

| <u>Model No.</u> | <u>Size</u> |
|------------------|-----------------|
| 324 | 1-1/2" x 1-1/2" |
| 328 | 2" x 1-1/2" |
| 330 | 2" x 2" |

1/6 Bend

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 570 | 2" |
| 572 | 3" |
| 574 | 4" |

San Cross

| <u>Model No.</u> | <u>Size</u> |
|------------------|--------------------|
| 1850 | 1-1/2" (vent only) |
| 1852 | 2" (vent only) |
| 1856 | 3" (vent only) |

Long Sweep

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 492 | 1-1/2" |
| 494 | 2" |
| 496 | 3" |
| 498 | 4" |

1/4 Bend W/2" Heel Opening

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 275 | 3" x 2" |
| 280 | 3" x 2" |
| 282 | 4" x 2" |

San Tee (TY)

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 806 | 1-1/2" |
| 808 | 2" x 1-1/2" |
| 810 | 2" |
| 812 | 3" x 1-1/2" |
| 814 | 3" x 2" |
| 816 | 3" |
| 818 | 4" x 2" |
| 820 | 4" x 3" |
| 822 | 4" |
| 824 | 5" x 2" |
| 826 | 5" x 3" |
| 828 | 5" x 4" |
| 830 | 5" |
| 832 | 6" x 2" |
| 834 | 6" x 4" |
| 835 | 6" x 5" |
| 836 | 6" |
| 838 | 6" x 3" |
| 840 | 8" |
| 842 | 8" x 6" |
| 844 | 8" x 5" |
| 846 | 8" x 4" |
| 848 | 8" x 3" |

Long 1/4 Bend

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 425 | 2" x 18" |

1/5 Bend

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 536 | 2" |
| 538 | 3" |
| 540 | 4" |

1/8 Bend

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 604 | 1-1/2" |
| 606 | 2" |
| 608 | 3" |
| 610 | 4" |
| 612 | 5" |

| | |
|-----|-----|
| 614 | 6" |
| 616 | 8" |
| 617 | 10" |

San Tap Cross

| | |
|------|---------------------|
| 1854 | 3" x 2" (vent only) |
| 1862 | 4" (vent only) |
| 1858 | 4" x 2" (vent only) |
| 1860 | 4" x 3" (vent only) |
| 1867 | 6" (vent only) |
| 1864 | 6" x 4" (vent only) |
| 1874 | 8" x 4" (vent only) |

Test Tee

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 2046 | 2" |
| 2048 | 3" |
| 2050 | 4" |
| 2052 | 5" |
| 2054 | 6" |
| 2056 | 8" |
| 2058 | 10" |

Iron Body Cleanout-Tapped

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 8570 | 6" x 5" |

Wye

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 1312 | 1-1/2" |
| 1314 | 2" |
| 1316 | 3" x 2" |
| 1318 | 3" |
| 1320 | 4" x 2" |
| 1322 | 4" x 3" |
| 1324 | 4" |
| 1332 | 5" |
| 1326 | 5" x 2" |
| 1328 | 5" x 3" |
| 1330 | 5" x 4" |
| 1342 | 6" |
| 1334 | 6" x 2" |
| 1336 | 6" x 3" |
| 1338 | 6" x 4" |
| 1340 | 6" x 5" |
| 1354 | 8" |
| 1344 | 8" x 2" |
| 1346 | 8" x 3" |
| 1348 | 8" x 4" |
| 1350 | 8" x 5" |
| 1352 | 8" x 6" |
| 1361 | 10" |
| 1357 | 10" x 4" |
| 1359 | 10" x 6" |
| 1360 | 10" x 8" |
| 1362 | 12" |
| 1363 | 15" |

Upright Wye

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 1646 | 2" |
| 1648 | 3" x 2" |
| 1650 | 3" |
| 1652 | 4" x 2" |
| 1654 | 4" x 3" |

Short Reducer

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 2138 | 2" x 1-1/2" |
| 2140 | 3" x 2" |
| 2142 | 4" x 2" |
| 2144 | 4" x 3" |
| 2146 | 5" x 2" |
| 2148 | 5" x 3" |
| 2150 | 5" x 4" |

| <u>Model No.</u> | <u>Size</u> |
|------------------|-----------------------------|
| 2012 | 1-1/2" x 1-1/2" (vent only) |
| 2014 | 2" x 1-1/4" (vent only) |
| 2016 | 2" x 1-1/2" (vent only) |
| 2018 | 2" x 2" (vent only) |
| 2022 | 3" x 1-1/2" (vent only) |
| 2024 | 3" x 2" (vent only) |

San Tap Tee (Tap TY)

| <u>Model No.</u> | <u>Size</u> |
|------------------|-----------------|
| 1208 | 1-1/2" x 1-1/4" |
| 1210 | 1-1/2" x 1-1/2" |
| 1216 | 2" |
| 1214 | 2" x 1-1/2" |
| 1212 | 2" x 1-1/4" |
| 1223 | 3" |
| 1220 | 3" x 1-1/2" |
| 1222 | 3" x 2" |
| 1226 | 4" x 1-1/2" |
| 1228 | 4" x 2" |

Combination Wye and 1/8 Bend

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 1694 | 1-1/2" |
| 1698 | 2" |
| 1696 | 2" x 1-1/2" |
| 1700 | 3" x 2" |
| 1702 | 3" |
| 1704 | 4" x 2" |
| 1706 | 4" x 3" |
| 1708 | 4" |
| 1716 | 5" |
| 1710 | 5" x 2" |
| 1712 | 5" x 3" |
| 1714 | 5" x 4" |
| 1718 | 6" x 2" |
| 1720 | 6" x 3" |
| 1722 | 6" x 4" |
| 1724 | 6" x 5" |
| 1726 | 6" |
| 1734 | 8" |
| 1728 | 8" x 4" |
| 1730 | 8" x 5" |
| 1732 | 8" x 6" |

Blind Plug

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 2480 | 1-1/2" |
| 2482 | 2" |
| 2484 | 3" |
| 2486 | 4" |

| | |
|------|-----|
| 2488 | 5" |
| 2490 | 6" |
| 2492 | 8" |
| 2494 | 10" |
| 2495 | 12" |
| 2496 | 15" |

Combination Wye and 1/8 Bend, Double

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 1802 | 2" |
| 1806 | 3" |
| 1804 | 3" x 2" |
| 1812 | 4" |
| 1808 | 4" x 2" |

| | |
|------|-----------|
| 2152 | 6" x 2" |
| 2154 | 6" x 3" |
| 2156 | 6" x 4" |
| 2158 | 6" x 5" |
| 2160 | 8" x 2" |
| 2162 | 8" x 3" |
| 2164 | 8" x 4" |
| 2166 | 8" x 5" |
| 2168 | 8" x 6" |
| 2172 | 10" x 4" |
| 2174 | 10" x 6" |
| 2175 | 10" x 8" |
| 2176 | 12" x 4" |
| 2177 | 12" x 6" |
| 2178 | 12" x 8" |
| 2179 | 12" x 10" |
| 2180 | 15" x 4" |
| 2181 | 15" x 6" |
| 2182 | 15" x 8" |
| 2183 | 15" x 10" |
| 2184 | 15" x 12" |

P-Trap

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 2506 | 1-1/2" |
| 2508 | 2" |
| 2510 | 3" |
| 2512 | 4" |
| 2514 | 6" |

Cleanout Ferrule (I.B.C.O.)

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 8564 | 3" x 2 1/2" |
| 8566 | 4" x 3 1/2" |

Tapped Adaptors

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 2242 | 2" x 1-1/2" |
| 2244 | 2" x 2" |

Closet Flange

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 9426 | 4" x 2" |

Deep Seal P-Trap

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 2564 | 2" |
| 2566 | 3" |
| 2567 | 4" |

Closet Bend Reducing

| <u>Model No.</u> | <u>Size</u> |
|------------------|---------------------|
| 2832 | 3" x 4" x 6" x 12" |
| 2840 | 3" x 4" x 6" x 15" |
| 2842 | 3" x 4" x 6" x 16" |
| 2852 | 3" x 4" x 10" x 12" |
| 2866 | 3" x 4" x 16" x 16" |

Closet Bend

| <u>Model No.</u> | <u>Size</u> |
|------------------|---------------------|
| 2904 | 4" x 4" x 6" x 12" |
| 5572 | 4" x 10" x 15" |
| 5572 | 4" x 4" x 10" x 15" |

Closet Flange Riser

| <u>Model No.</u> | <u>Size</u> |
|------------------|------------------|
| 2966 | 4" x 3" x 3-1/2" |

Figure Five

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------------|
| 8052 | 2" |
| 8054 | 3" x 2" x 3" x 3" |
| 8062 | 4" |

P-Trap with Primer

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 8530 | 2" |
| 8532 | 3" |
| 8534 | 4" |

P-Trap with Tapped Inlet

| <u>Model No.</u> | <u>Size</u> |
|------------------|-----------------|
| 2582 | 1-1/2" x 1-1/2" |
| 2586 | 2" x 1-1/2" |
| 2588 | 2" x 2" |

Double Wye

| <u>Model No.</u> | <u>Size</u> |
|------------------|-------------|
| 1538 | 2" |
| 1542 | 3" |
| 1540 | 3" x 2" |
| 1548 | 4" |
| 1544 | 4" x 2" |
| 1546 | 4" x 3" |
| 1552 | 6" x 4" |
| 1554 | 6" |
| 1557 | 8" x 6" |
| 1558 | 8" |

*Models on this listing may be preceded by the prefix "ZFB" to denote optional epoxy coating