


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761-2816 • (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: September 2018 Void After: September 2019

Product: Cast Iron Soil Pipe and Fittings File No. 6336

Issued To: NEW AGE CASTING COMPANY
12630 WEST AIRPORT BOULEVARD
SUITE 100
SUGAR LAND, TX 77478

Identification: Each length of pipe and each fitting shall be plainly marked with the country of the origin, the manufacturer's initials or registered trademark by which the manufacturer can be readily identified after installation, and with letters to indicate the proper classification, as follows: XH Extra Heavy SV Service. The marking shall be cast, stenciled, or otherwise applied on the pipe so as to clear and legible after installation. The marking shall be cast in raised letters on fittings and shall be clear and legible after installation and located away from the spigot end so as not to interfere with proper joining upon installation. Each pipe shall be marked with the date of manufacturer. Pipe and fittings shall also bear the UPC® certification mark.

Characteristics: Cast iron soil pipe and fittings for use in gravity flow applications. These pipe and fittings are not intended for pressure applications as the selection of the proper size for drain, waste, vent and storm drain systems allow free air space for gravity drainage. To be installed in accordance with the manufacturer's installation instruction and the requirement of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
International Plumbing Code (IPC®)

Products are in compliance with the following standard(s):

ASTM A74-2016 (excluding Annex A1)

MODELS:

| <u>Model No.</u> | <u>Description</u> |
|------------------|--------------------|
| 2" x 2.5' | double hub pipe |
| 4" x 2.5' | double hub pipe |
| 2" x 5' | single hub pipe |
| 3" x 5' | single hub pipe |
| 4" x 5' | single hub pipe |
| 5" x 5' | single hub pipe |
| 6" x 5' | single hub pipe |

| | |
|----------|-----------------|
| 8" x 5' | single hub pipe |
| 2" x 5' | double hub pipe |
| 3" x 5' | double hub pipe |
| 4" x 5' | double hub pipe |
| 2" x 10' | single hub pipe |
| 3" x 10' | single hub pipe |
| 4" x 10' | single hub pipe |
| 6" x 10' | single hub pipe |
| 8" x 10' | single hub pipe |

SV Pipes series

| |
|---------------------------------|
| 2" x 3.5', 2" x 5', 2" x 10' |
| 3" x 3.5', 3" x 5', 3" x 10' |
| 4" x 3.5', 4" x 5', 4" x 10' |
| 5" x 3.5', 5" x 5', 5" x 10' |
| 6" x 3.5', 6" x 5', 6" x 10' |
| 8" x 3.5', 8" x 5', 8" x 10' |
| 10" x 3.5', 10" x 5', 10" x 10' |
| 12" x 3.5', 12" x 5', 12" x 10' |
| 15" x 3.5', 15" x 5', 15" x 10' |

XH Pipes series

| |
|----------------------------|
| 4" x 3', 4" x 5', 4" x 10' |
| 6" x 3', 6" x 5', 6" x 10' |
| 8" x 3', 8" x 5', 8" x 10' |

| <u>Model No.</u> | <u>Description</u> |
|------------------|---|
| SVF04B20 | 2" 1/4 Bend |
| SVF04B30 | 3" 1/4 Bend |
| SVF04B40 | 4" 1/4 Bend |
| SVF04B06 | 6" service weight 1/4 bend |
| SVF04B60 | 6" 1/4 Bend |
| SVF08B20 | 2" 1/8 Bend |
| SVF08B30 | 3" 1/8 Bend |
| SVF08B40 | 4" 1/8 Bend |
| SVF08B50 | 5" 1/8 Bend |
| SVF08B60 | 6" 1/8 Bend |
| SVF16B40 | 4" 1/16 Bend |
| SVF16B50 | 5" 1/16 Bend |
| SVF16B30 | 3" 1/16 Bend |
| SVF16B60 | 6" 1/16 Bend |
| SVFCOM30 | 3" Combination |
| SVFCOM42 | 4" x 2" Combination Y and 1/8 Bend, Single |
| SVFCOM43 | 4" x 3" Combination Y and 1/8 Bend, Single |
| SVFCOM40 | 4" x 4" Combination Y and 1/8 Bend, Single |
| SVFCOM60 | 6" Combination |
| SVFDBC43 | 4" x 3" Double Combo |
| SVFDBH400 | 4" service weight double hub |
| SVFIBP400 | 4" service weight Iron body ferrule w plug |
| SVFLSB30 | 3" Long Sweep |
| SVFLSB40 | 4" Long Sweep |
| SVFPTP20 | 2" P Trap |
| SVFPTP30 | 3" P Trap |
| SVFPTP40 | 4" P-Trap |
| SVFRED053 | 5" x 4" Reducer |
| SVFRED064 | 6" x 4" Reducer |
| SVFRED32 | 3" x 2" Reducer |
| SVFRED42 | 4" x 2" Reducer |
| SVFSC400 | 4" service weight sanitary tee branch, double |
| SVFSSB30 | 3" Short Sweep |
| SVFSSB40 | 4" Short Sweep |
| SVFSTE02 | 2" Sanitary Tee |
| SVFSTE30 | 3" Sanitary Tee |
| SVFSTE32 | 3" x 2" Sanitary Tee |
| SVFSTE33 | 3" service weight sanitary tee branch, single |
| SVFSTE42 | 4" x 2" Sanitary Tee |
| SVFSTE42 | 4"x 2" service weight sanitary tee branch, single |
| SVFSTE43 | 4" x 3" Sanitary Tee |
| SVFSTE40 | 4" Sanitary Tee |
| SVFSTE64 | 6"x 4" service weight sanitary tee branch, single |
| SVFSTE60 | 6" Sanitary Tee |
| SVFTBP440 | 4" T branch cleanout with screw plug |
| SVFWYE20 | 2" Wye |
| SVFWYE22 | 2" service weight Wye |
| SVFWYE32 | 3"x2" Wye |
| SVFWYE33 | 3" Y Branch, Single |
| SVFWYE42 | 4" x 2" Wye |
| SVFWYE42 | 4"x 2" service weight Wye |
| SVFWYE43 | 4" x 3" Y Branch, Single |
| SVFWYE40 | 4" Y Branch, Single |
| SVFWYE50 | 5" Wye |
| SVFWYE53 | 5" x 3" Wye |
| SVFWYE54 | 5" x 4" Wye |
| SVFWYE64 | 6" x 4" Y Branch, Single |

| | |
|--------------|-------------------------------------|
| SVFWYE60 | 6" Y Branch, Single |
| XHF08B062086 | EXTRA HEAVY 6" 1/8 BEND |
| XHFRED642444 | EXTRA HEAVY 6" X 4" REDUCER |
| XHFRED862449 | EXTRA HEAVY 8" X 6" REDUCER |
| XHP04S05 | 4" x 5' extra heavy single hub pipe |
| XHP04S10 | 4"x10' extra heavy single hub pipe |
| XHP06S05 | EXTRA HEAVY PIPE 6" SINGLE HUB 5 FT |
| XHP06S10 | 6"x10' extra heavy single hub pipe |
| XHP08S05 | EXTRA HEAVY PIPE 8" SINGLE HUB 5 FT |